

ALL SPEARGUNS SPEC SHEET

MID-HANDLE SERIES - M10 MECHANISM

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Sawed-Off	6W44MH	44"	34"	22'	Yes	2	22 x 5/8"	322E	NA	44 x 5/16"	Point, 3" Flopper & 5/16" threads	S5-E44-F2A
Magnum	6W46MH	56"	46"	30'	Yes	3	28 x 5/8"	328E	848	54 x 5/16"	Point & 5/16" threads	S5-E54-F2A
Magnum 450	6W50MH	62"	52"	33'	Yes	3	32 x 5/8"	332E	848	60 x 5/16"	Point & 5/16" threads	S5-E60-F2A

WOODY EURO SERIES - M10 MECHANISM


Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Euro 90	6W90E	40"	30"	20'	Yes	2	20 x 5/8"	320E	NA	42 x 9/32"	Point & 3" Flopper	S1-E42-F2A
Euro 110	6W110E	48"	39"	25'	Yes	2	26 x 5/8"	326E	NA	50 x 9/32"	Point & 3" Flopper	S1-E50-F2A
Euro 120	6W120E	54"	45"	28'	Yes	2	30 x 5/8"	330E	NA	56 x 9/32"	Point & 3" Flopper	S1-E56-F2A

WOODY ELITE SERIES - M10 MECHANISM

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Custom	6W33E	29"	19"	13'	Yes	2	14 x 5/8"	314E	NA	28 x 9/32"	Point, 3" Flopper & 6mm threads	S8-D28-F2A
38 Special	6W38E	36"	24"	14'	Yes	2	16 x 5/8"	316E	NA	34 x 5/16"	Point, 3" Flopper & 5/16" threads	S5-E34-F2A
Sawed-Off	6W44E	44"	32"	22'	Yes	2	20 x 5/8"	320E	NA	42 x 5/16"	Point, 3" Flopper & 5/16" threads	S5-E42-F2A
Magnum	6W46E	56"	44"	28'	Yes	2	26 x 5/8"	326E	NA	54 x 5/16"	Point, 3" Flopper & 5/16" threads	S5-E54-F2A
Magnum 450	6W50E	62"	50"	32'	Yes	2	32 x 5/8"	332E	NA	60 x 5/16"	Point, 3" Flopper & 5/16" threads	S5-E60-F2A

* Speargun length is measured from gun butt to muzzle on spearguns.

** Float is with spearshaft not engaged in speargun. All spearguns sink when engaged.



ALL SPEARGUNS SPEC SHEET

WOODY MAGNUM SERIES - M10 MECHANISM

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Custom	6W33	29"	17"	12'	Yes	2	14 x 9/16"	214	NA	28 x 9/32"	Point, 3" Flopper & 6mm threads	S8-D28-N2A
38 Special	6W38	36"	22"	14'	Yes	2	16 x 9/16"	216	843	31 x 5/16"	6mm threads	S5-E31-N2A
Sawed-Off	6W44	44"	30"	18'	Yes	3	20 x 9/16"	220	843	39 x 5/16"	6mm threads	S6-E39-N3A
Florida Special	6W45	52"	36"	21'	Yes	3	22 x 9/16"	222	831	45 x 5/16"	6mm threads	S6-E45-N3A
Magnum	6W46	56"	42"	24'	Yes	3	24 x 9/16"	224	823	51 x 5/16"	6mm threads	S6-E51-N3A

TEAK ELITE SERIES - M10 MECHANISM


Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
38 Special	6W38ET	36"	24"	14'	Yes	2	16 x 5/8"	316E	NA	34 x 5/16"	Point, 3" Flopper & 5/16" threads	S5-E34-F2A
Sawed-Off	6W44E	44"	32"	22'	Yes	2	20 x 5/8"	320E	NA	42 x 5/16"	Point, 3" Flopper & 5/16" threads	S5-E42-F2A
Magnum	6W46E	56"	44"	28'	Yes	2	26 x 5/8"	326E	NA	54 x 5/16"	Point, 3" Flopper & 5/16" threads	S5-E54-F2A

TEAK MAGNUM SERIES - M10 MECHANISM

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
38 Special	6W38T	36"	22"	14'	Yes	2	16 x 9/16"	216	843	31 x 5/16"	6mm threads	S5-E31-N2A
Sawed-Off	6W44T	44"	30"	18'	Yes	3	20 x 9/16"	220	843	39 x 5/16"	6mm threads	S6-E39-N3A
Magnum	6W46T	56"	42"	24'	Yes	3	24 x 9/16"	224	823	51 x 5/16"	6mm threads	S6-E51-N3A

* Speargun length is measured from gun butt to muzzle on spearguns.

** Float is with spearshaft not engaged in speargun. All spearguns sink when engaged.



ALL SPEARGUNS SPEC SHEET

REAPER SERIES


Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Reaper 70cm	4R70	39"	28"	20'	Yes	2	20 x 5/8"	320E	NA	42 x 9/32"	Point & 3" Flopper	S1-D42-R2E
Reaper 90cm	4R90	47"	36"	24'	Yes	2	24 x 5/8"	324E	NA	50 x 9/32"	Point & 3" Flopper	S1-D50-R2E
Reaper 100cm	4R100	51"	40"	26'	Yes	2	26 x 5/8"	326E	NA	54 x 9/32"	Point & 3" Flopper	S1-D54-R2E
Reaper 110cm	4R110	55"	44"	29'	Yes	2	28 x 5/8"	328E	NA	58 x 9/32"	Point & 3" Flopper	S1-D58-R2E
Reaper 120cm	4R120	59"	48"	31'	Yes	2	30 x 5/8"	330E	NA	62 x 9/32"	Point & 3" Flopper	S1-D62-R2E
Reaper 130cm	4R130	63"	52"	33'	Yes	2	32 x 5/8"	332E	NA	66 x 9/32"	Point & 3" Flopper	S1-D66-R2E

EXPLORER SERIES - GEN 2

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Explorer 55cm	4X55	32"	22"	15'	Yes	1	16 x 9/16"	216	819	30 x 9/32"	6mm threads	S6-D30-N2E
Explorer 75cm	4X75	40"	30"	20'	Yes	1	22 x 9/16"	222	819	38 x 9/32"	6mm threads	S6-D38-N2E
Explorer 85cm	4X85	44"	34"	22'	Yes	2	24 x 9/16"	224	819	42 x 9/32"	6mm threads	S6-D42-N2E

* Speargun length is measured from gun butt to muzzle on spearguns.

** Float is with spearshaft not engaged in speargun. All spearguns sink when engaged.



ALL SPEARGUNS SPEC SHEET

MAGNUM SERIES - GEN 2


Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
38 Special	4M55	37"	22"	13'	Yes	2	16 x 5/8"	316	843	31 x 5/16"	6mm threads	S6-E31-N3E
Sawed-Off	4M70	43"	28"	16'	Yes	2	20 x 5/8"	320	843	37 x 5/16"	6mm threads	S6-E37-N3E
Competition Magnum	4M90	51"	36"	20'	Yes	2	24 x 5/8"	324	821	45 x 5/16"	6mm threads	S6-E45-N3E
Magnum	4M105	57"	42"	23'	Yes	2	28 x 5/8"	328	821	51 x 5/16"	6mm threads	S6-E51-N3E

CARBINE SERIES

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
The Mini	D5	16"	11"	6'	No	1	8 x 1/2"	608	NA	16 x 9/32"	Point, 1.5" Flopper & 6mm thrds	716-SB
Mini Carbine	D6	23"	17"	9'	No	1	14 x 1/2"	614	NA	24 x 9/32"	Point, 1.5" Flopper & 6mm thrds	724-SB
Carbine	D7	33"	28"	12'	No	2	20 x 1/2"	620	847	33 x 9/32"	6mm threads	733-SB
Super Carbine	D8	41"	35"	21'	No	2	22 x 1/2"	622	847	41 x 9/32"	6mm threads	741-SB

* Speargun length is measured from gun butt to muzzle on spearguns.

** Float is with spearshaft not engaged in speargun. All spearguns sink when engaged.



ALL SPEARGUNS SPEC SHEET

DISCONTINUED MODELS

MID-HANDLE SERIES - M8 MECHANISM - PLASTIC & INTEGRATED WOOD MUZZLE MODELS - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Sawed-Off	6W44MH	44"	34"	22'	Yes	2	22 x 5/8"	322E	NA	44 x 5/16"	Point, 3" Flopper & 5/16" threads	744-E
Magnum	6W46MH	56"	46"	30'	Yes	3	28 x 5/8"	328E	848	56 x 5/16"	Point & 5/16" threads	756-E
Magnum 450	6W50MH	62"	52"	33'	Yes	3	32 x 5/8"	332E	848	62 x 5/16"	Point & 5/16" threads	762-E

WOODY EURO SERIES - M8 MECHANISM - DISCONTINUED


Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Euro 90	6W90E	40"	30"	20'	Yes	2	20 x 5/8"	320E	NA	44 x 9/32"	Point & 3" Flopper	744-SBE
Euro 110	6W110E	48"	39"	25'	Yes	2	26 x 5/8"	326E	NA	50 x 9/32"	Point & 3" Flopper	750-SBE
Euro 120	6W120E	54"	45"	28'	Yes	2	30 x 5/8"	330E	NA	57 x 9/32"	Point & 3" Flopper	757-SBE

WOODY ELITE SERIES - M8 MECHANISM - PLASTIC & INTEGRATED WOOD MUZZLE MODELS - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Custom	6W33E	29"	19"	13'	Yes	2	14 x 5/8"	314E	NA	28 x 9/32"	Point, 3" Flopper & 6mm threads	728-SBE
38 Special	6W38E	36"	24"	14'	Yes	2	16 x 5/8"	316E	NA	33 x 5/16"	Point, 3" Flopper & 5/16" threads	733-E
Sawed-Off	6W44E	44"	32"	22'	Yes	2	20 x 5/8"	320E	NA	44 x 5/16"	Point, 3" Flopper & 5/16" threads	744-E
Magnum	6W46E	56"	44"	28'	Yes	2	26 x 5/8"	326E	NA	56 x 5/16"	Point, 3" Flopper & 5/16" threads	756-E
Magnum 450	6W50E	62"	50"	32'	Yes	2	32 x 5/8"	332E	NA	62 x 5/16"	Point, 3" Flopper & 5/16" threads	762-E

* Speargun length is measured from gun butt to muzzle on spearguns.

** Float is with spearshaft not engaged in speargun. All spearguns sink when engaged.



ALL SPEARGUNS SPEC SHEET

DISCONTINUED MODELS

WOODY MAGNUM SERIES - M8 MECHANISM - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Custom	6W33	29"	17"	12'	Yes	2	14 x 9/16"	214	NA	28 x 9/32"	Point, 3" Flopper & 6mm threads	728-SB
38 Special	6W38	36"	22"	14'	Yes	2	16 x 9/16"	216	843	31 x 5/16"	6mm threads	731-SA
Sawed-Off	6W44	44"	30"	18'	Yes	3	20 x 9/16"	220	843	39 x 5/16"	6mm threads	739-SA
Florida Special	6W45	52"	36"	21'	Yes	3	22 x 9/16"	222	831	44 x 5/16"	6mm threads	744-SA
Magnum	6W46	56"	42"	24'	Yes	3	24 x 9/16"	224	823	51 x 5/16"	6mm threads	751-SA
Magnum XL	6W46XL	60"	42"	24"	Yes	3	24 x 9/16"	224	823	51 x 5/16"	6mm threads	751-SA

TEAK ELITE SERIES - M8 MECHANISM - DISCONTINUED


Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
38 Special	6W38ET	36"	24"	14'	Yes	2	16 x 5/8"	316E	NA	33 x 5/16"	Point, 3" Flopper & 5/16" threads	733-E
Sawed-Off	6W44E	44"	32"	22'	Yes	2	20 x 5/8"	320E	NA	44 x 5/16"	Point, 3" Flopper & 5/16" threads	744-E
Magnum	6W46E	56"	44"	28'	Yes	2	26 x 5/8"	326E	NA	56 x 5/16"	Point, 3" Flopper & 5/16" threads	756-E

TEAK MAGNUM SERIES - M8 MECHANISM - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
38 Special	6W38T	36"	22"	14'	Yes	2	16 x 9/16"	216	843	31 x 5/16"	6mm threads	731-SA
Sawed-Off	6W44T	44"	30"	18'	Yes	3	20 x 9/16"	220	843	39 x 5/16"	6mm threads	739-SA
Magnum	6W46T	56"	42"	24'	Yes	3	24 x 9/16"	224	823	51 x 5/16"	6mm threads	751-SA

* Speargun length is measured from gun butt to muzzle on spearguns.

** Float is with spearshaft not engaged in speargun. All spearguns sink when engaged.



ALL SPEARGUNS SPEC SHEET

DISCONTINUED MODELS

XHD SERIES - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
38 Special	4D38XHD	36"	22"	14'	Yes	3	16 x 5/8"	316	843	28 x 5/16"	6mm threads	728-SA 3N
Sawed-Off	4D44XHD	43"	30"	18'	Yes	3	20 x 5/8"	320	843	36 x 5/16"	6mm threads	736-SA 3N
Competition Magnum	4D45XHD	47"	33"	20'	Yes	3	22 x 5/8"	322	831	40 x 5/16"	6mm threads	740-SA
Magnum	4D46XHD	55"	41"	25'	Yes	3	24 x 5/8"	324	823	48 x 5/16"	6mm threads	748-SA
Gulf Magnum	4D46GXHD	55"	41"	25'	Yes	3	24 x 5/8"	324	894	48 x 5/16"	6mm threads	748-SA
Magnum 450	4D50XHD	63"	49"	27'	Yes	3	30 x 5/8"	330	823	56 x 5/16"	6mm threads	756-SA

MAGNUM SERIES - DISCONTINUED


Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Custom	4D33	32"	18"	12'	No	2	14 x 9/16"	214	825	24 x 5/16"	6mm threads	724-SA
38 Special	4D38	36"	22"	14'	No	2	14 x 9/16"	214	843	28 x 5/16"	6mm threads	728-SA
38 Special North West	4D38NW	36"	22"	14'	No	3	16 x 9/16"	216	843	28 x 5/16"	6mm threads	728-SA 3N
Sawed-Off	4D44	43"	30"	18'	Yes	2	20 x 9/16"	220	843	36 x 5/16"	6mm threads	736-SA
Competition Magnum	4D45	47"	33"	20'	Yes	3	22 x 9/16"	222	831	40 x 5/16"	6mm threads	740-SA
Magnum	4D46	55"	41"	25'	Yes	3	24 x 9/16"	224	823	48 x 5/16"	6mm threads	748-SA

TRAVEL MAGNUM SERIES - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Travel Magnum	4D46TC	32 / 56"	18 / 41"	12 / 25'	No / Yes	2 / 3	14 / 24 x 9/16"	214 / 224	825 / 823	24 / 48 x 5/16"	6mm threads	724-SA / 7427S + 721-S

* Speargun length is measured from gun butt to muzzle on spearguns.

** Float is with spearshaft not engaged in speargun. All spearguns sink when engaged.



ALL SPEARGUNS SPEC SHEET

DISCONTINUED MODELS

MAGNUM ELITE SERIES - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
38 Special	4D38E	36"	22"	14'	No	2	16 x 5/8"	316E	NA	34 x 5/16"	Point, 3" Flopper & 5/16" threads	734-E
Sawed-Off	4D44E	43"	30"	18'	Yes	2	20 x 5/8"	320E	NA	42 x 5/16"	Point, 3" Flopper & 5/16" threads	742-E
Magnum	4D46E	55"	41"	25'	Yes	2	26 x 5/8"	326E	NA	54 x 5/16"	Point, 3" Flopper & 5/16" threads	754-E

LIGHTNING SERIES - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Lightning 22	4D22L	38"	27"	17'	No	1	24 x 11/16"	124	NA	38 x 9/32"	Point & 3" Flopper	738-SBF
Lightning 24	4D24L	47"	35"	21'	No	1	26 x 11/16"	126	NA	48 x 9/32"	Point & 3" Flopper	748-SBF
Lightning 26	4D26L	57"	45"	26'	No	1	30 x 11/16"	130	NA	60 x 9/32"	Point & 3" Flopper	760-SBF


*** Lightning 22 can also use 20 x 5/8" Bands / Lightning 24 can also use 24 x 5/8" Bands / Lightning 26 can also use 26 x 5/8" Bands

EXPLORER SERIES - GEN 1 - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Explorer 20	4D20	29"	17"	12'	No	1	14 x 9/16"	214	825	24 x 5/16"	6mm threads	724-SA
Explorer 22	4D22	38"	27"	17'	No	1	20 x 9/16"	220	847	34 x 5/16"	6mm threads	734-SA
Explorer 24	4D24	47"	35"	21'	No	2	24 x 9/16"	224	847	42 x 5/16"	6mm threads	742-SA

* Speargun length is measured from gun butt to muzzle on spearguns.

** Float is with spearshaft not engaged in speargun. All spearguns sink when engaged.



ALL SPEARGUNS SPEC SHEET

DISCONTINUED MODELS

WOODY MAGNUM SERIES - 4W - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
38 Special	4W38	36"	22"	14'	Yes	2	16 x 9/16"	216	843	28 x 5/16"	6mm threads	728-SA
Sawed-Off	4W44	43"	30"	18'	Yes	3	20 x 9/16"	220	843	36 x 5/16"	6mm threads	736-SA
Magnum	4W46	55"	41"	24'	Yes	3	24 x 9/16"	224	823	48 x 5/16"	6mm threads	748-SA

WOODY ELITE SERIES - 4W - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
38 Special	4W38E	36"	22"	14'	Yes	2	16 x 5/8"	316	NA	34 x 5/16"	Point, 3" Flopper & 5/16" threads	734-E
Sawed-Off	4W44E	43"	30"	18'	Yes	2	20 x 5/8"	320	NA	42 x 5/16"	Point, 3" Flopper & 5/16" threads	742-E
Magnum	4W46E	55"	41"	24'	Yes	2	26 x 5/8"	326	NA	54 x 5/16"	Point, 3" Flopper & 5/16" threads	754-E

MISC SPEARGUNS - DISCONTINUED

Model	Part #	Length*	Stretch	Reach	Float**	Band Info			Spearhead	Shaft Info		Shaft #
						Qty	Specs	Band #		Specs	Tip	
Mini Magnum	4D49	47"	35"	21'	No	2	24 x 9/16"	224	831	42 x 5/16"	6mm threads	724-SA
Mini Magnum HI	4D49H	47"	35"	21'	No	2	24 x 9/16"	224	NA	48 x 5/16"	Point & 3" Flopper	748-SA
Magnum HI	4D46H	55"	41"	25'	Yes	2	24 x 9/16"	224	NA	60 x 9/32"	Point & 3" Flopper	760-SB

* Speargun length is measured from gun butt to muzzle on spearguns.

** Float is with spearshaft not engaged in speargun. All spearguns sink when engaged.